

Textbook of
Conservative and
Restorative
Dentistry

Other CBS Books by the Same Author

- ❖ **Textbook of Operative Dentistry**, fourth edition
- ❖ **Fundamentals of Dental Radiology**, fourth edition
- ❖ **Pre-Clinical Conservative Dentistry**, second edition
- ❖ **Essential of Endodontics**, second edition
- ❖ **Indirect Restorations in Dental Practice**, second edition
- ❖ **Dental Caries**

Textbook of Conservative and Restorative Dentistry

Vimal K Sikri

MDS, DOOP (PU), DEME (AIU), FICD

Professor Emeritus

former Professor and Head

Department of Conservative and Endodontics, and
Principal, Punjab Government Dental College and Hospital
Amritsar, Punjab



CBS Publishers & Distributors Pvt Ltd

New Delhi • Bengaluru • Chennai • Kochi • Kolkata • Mumbai
Bhopal • Bhubaneswar • Hyderabad • Jharkhand • Nagpur • Patna
• Pune • Uttarakhand • Dhaka (Bangladesh) • Kathmandu (Nepal)

Disclaimer

Science and technology are constantly changing fields. New research and experience broaden the scope of information and knowledge. The authors have tried their best in giving information available to them while preparing the material for this book. Although, all efforts have been made to ensure optimum accuracy of the material, yet it is quite possible some errors might have been left uncorrected. The publisher, the printer and the authors will not be held responsible for any inadvertent errors, omissions or inaccuracies.

eISBN: 978-93-901-5870-6

Copyright © Authors and Publisher

First eBook Edition: 2020

All rights reserved. No part of this eBook may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system without permission, in writing, from the authors and the publisher.

Published by Satish Kumar Jain and produced by Varun Jain for
CBS Publishers & Distributors Pvt. Ltd.

Corporate Office: 204 FIE, Industrial Area, Patparganj, New Delhi-110092

Ph: +91-11-49344934; Fax: +91-11-49344935; Website: www.cbspd.com; www.eduport-global.com;
E-mail: eresources@cbspd.com; marketing@eduport-global.com

Head Office: CBS PLAZA, 4819/XI Prahlad Street, 24 Ansari Road, Daryaganj, New Delhi-110002, India.


Ph: +91-11-23289259, 23266861, 23266867; Fax: 011-23243014; Website: www.cbspd.com; E-mail:
publishing@cbspd.com; eduportglobal@gmail.com.

Branches

- **Bengaluru:** Seema House 2975, 17th Cross, K.R. Road, Banasankari 2nd Stage, Bengaluru -560070, Karnataka Ph: +91-80-26771678/79; Fax: +91-80-26771680; E-mail: bangalore@cbspd.com
- **Chennai:** No.7, Subbaraya Street Shenoy Nagar Chennai -600030, Tamil Nadu Ph: +91-44-26680620, 26681266; E-mail: chennai@cbspd.com
- **Kochi:** 36/14 Kalluvilakam, Lissie Hospital Road, Kochi -682018, Kerala Ph: +91-484-4059061-65; Fax: +91-484-4059065; E-mail: kochi@cbspd.com
- **Mumbai:** 83-C, 1st floor, Dr. E. Moses Road, Worli, Mumbai -400018, Maharashtra Ph: +91-22-24902340 -41; Fax: +91-22-24902342; E-mail: mumbai@cbspd.com
- **Kolkata:** No. 6/B, Ground Floor, Rameswar Shaw Road, Kolkata -700014 Ph: +91-33-22891126 -28; E-mail: kolkata@cbspd.com

Representatives

- **Hyderabad**
- **Pune**
- **Nagpur**
- **Manipal**
- **Vijayawada**
- **Patna**



to
My Father
(1927-1996)

*Who taught me the first lesson of life
and gave me the light of learning*

Foreword

We are in the midst of rapidly advancing technical developments in all areas of our profession. The vast experience of Dr Sikri, coupled with his aptitude for writing, conceived a nice way of presenting his vision in the form of a book.

The book '*Textbook of Conservative and Restorative Dentistry*' comprehensively deals with clinical and theoretical needs of all types of restorations. The book shows the inherent vision of the author. Author's emphasis on originality and the language of the subject matter is clearly evident in the book.

The current concepts of occlusion, composites and minimal invasive dentistry are excellently presented; the subject matter in other chapters also emphasizes clinical aspects in day-to-day practice. It is hoped that

students, teachers and the practitioners will find an accurate presentation of the subject and get benefited from the same.

It is advisable to consider Dr Sikri's book for application in our daily teaching and clinical practice. I hope this book will enlighten and encourage exploring new horizons in the field of Restorative dentistry.

With my profound faith and professional respect for Dr Sikri, who is a popular teacher having vast experience in the subject, I wish him excel in every field, especially academics and research. I hope this book would become treasure of knowledge amongst students and teachers as well.



Dr. Zora Singh
Chancellor
Desh Bhagat University

Preface

Textbook of *Conservative and Restorative Dentistry* is an updated version of the present concepts of conservative and restorative dentistry. This book was conceived based on valuable suggestions of my fellow teachers and students all over the world, coupled with newer developments in the field of restorative dentistry. The book is expanded in 34 chapters covering syllabi of all the universities. The recent concepts have been highlighted in all the chapters, especially chapters on Dentin Hybridization (Bonding), Composites, Lasers, Diagnosis and Diagnostic Aids and Minimal Invasive Dentistry, keeping in mind their clinical significance in day-to-day practice. The language is kept lucid along with self-explanatory photographs and diagrams. The text is reinforced with clinical photographs for easy understanding of the subject. The keynotes are presented in box format for easy access and understanding. I hope '*Textbook of Conservative and Restorative Dentistry*' is in a 'must-read' category for the students, teachers and the practitioners as well, pursuing restorative dentistry as a career.

Completing book of this magnitude would not have been possible without contributions from

eminent academicians, multitude of teachers, students and friend as well. I recognize their 'contribution' with sincere thanks. I am indebted to my elder brother, Mr RK Sikri, former Director, NTPC, for re-writing text on 'Forces Exerted on Teeth', along with modifying the line diagrams.

I am thankful to Dr Mohan Kumar (Chennai) and Dr Vivek (Pune) for sharing their expertise in the field of conservative dentistry. I am grateful to my colleagues, Dr Renu Sroa, Principal, Dr Baljit Sidhu, Associate Professor, Dr Jagan and Dr Sangeeta, Medical officers for their constant help and motivation. I am also thankful to my students, Dr Akanksha, Dr Vikram, Dr Rajinder and Dr Swapnil for checking and rechecking the manuscript.

I acknowledge the understanding and patience of my gracious wife, Dr Poonam; my dear sons, Dr Ankit, Dr Arpit, and my sweet daughters, Dr Annupriya and Dr Jyotsana.

I request all the students and teachers to go through the present edition and suggest areas of improvement. Your comments and criticism will be incorporated in future editions.

Vimal K Sikri

Contributors

Annupriya Sikri

Associate Professor
National Dental College and Hospital
Gulabgarh
DeraBassi (Punjab)

Jyotsana Sikri

Senior lecturer
Sudha Rustagi College of
Dental Sciences & Research
Faridabad (Haryana)

Syed Abrar Bashir Ahmed

Professor and Head
Department of Conservative Dentistry and Endodontics
Government Dental College and Hospital
Mumbai

Mohan Bhuvneshwaran

Private practitioner
Z-279, 5th Avenue,
Anna Nagar, Chennai, Tamil Nadu

S Mahalaxmi

Professor and Head
Department of Conservative Dentistry and
Endodontics
SRM Dental College and Hospital, Bharathi Salai,
Rampuram,
Chennai (Tamil Nadu)

S Balagopal

Vice-Principal and Head
Department of Conservative Dentistry
and Endodontics
Tagore Dental College & Hospital
Chennai (Tamil Nadu)

Rajesh Pillay

Professor and Head
Department of Conservative Dentistry and
Endodontics
PMS College of Dental Science and Research
Golden Hills, Venkode
Trivandrum (Kerala)

Baljit Sidhu

Associate Professor and Head
Department of Conservative Dentistry and
Endodontics
Government Dental College and Hospital
Amritsar (Punjab)

Lora Mishra

Professor
Department of Conservative Dentistry and
Endodontics
Institute of Dental Science
Bhubaneswar
Odisha

Ankit Sikri

Associate Professor
National Dental College and Hospital
Gulabgarh
DeraBassi (Punjab)

Arpit Sikri

Senior Resident
Maulana Azad Institute of Dental Sciences
New Delhi

Contents

<i>Foreword</i>	<i>vii</i>	Systemic theory	38
<i>Preface</i>	<i>ix</i>	Caries balance concept	39
<i>Contributors</i>	<i>xi</i>	Genetic theory	39
1. Introduction to Restorative Dentistry 1–9		Autoimmune theory	40
Evolution of operative dentistry	1	Contributory factors in dental caries	40
Beginning of dental science	2	Histopathology of dental caries	47
Dentistry in 20th century	4	Caries of enamel	49
Chronology of major events in operative dentistry	4	Caries of dentin	52
Aims and objectives	6	Root caries	54
Indications	6	Arrested caries	55
Future of operative dentistry	8	Secondary caries	56
2. Nomenclature 10–28			
Systems having similar notation in each segment	10	4. Functional Occlusion 61–80	
System with different notation in each segment	11	Terminology	62
FDI system	13	Centric relation	64
Terminology related to caries	14	Centric occlusion and maximal intercuspal position	65
Defects in tooth structure	16	Occlusal designs	66
Nomenclature related to tooth surfaces	18	Occlusion and restorative dentistry	67
Anatomical clinical crown	19	Interocclusal records	70
Nomenclature related to cavity preparation	19	Principles of EDEC	71
Walls in a cavity preparation	20	Restoring individual tooth	72
Angles in a cavity preparation	23	Role of contact areas	75
Bevel	25	Role of contours	76
Classification of cavities	25	Role of marginal ridges	76
Dr GV Black classification	25	Recording occlusal relations for indirect restorations	76
Modification of Black's classification	25	Transferable records	77
Dr GJ Mount classification	26	Non-transferable records	78
Dr Vimal Sikri classification	28	Checking casting for occlusion	78
3. Dental Caries 29–60			
Classification of caries	29	5. Contacts, Contours and Periodontium 81–93	
Etiology of dental caries	32	Dentogingival unit	81
Worm theory	33	Preservation of periodontium	82
Humoral theory	33	Contour	82
Chemical theory	33	Height of epithelial attachment	83
Parasite theory	33	Proximal contact areas	83
Acidogenic theory	33	Embrasures	85
Proteolytic theory	33	Occlusal surface	85
Proteolysis chelation theory	34	Margins	86
Bioelectric phenomena	34	Surface finish and texture	86
Levine's theory	34	Trauma from occlusion	86
Bandlish's theory	37	Occlusal equilibration	90
6. Case Selection: Treatment Planning 94–106		Sequence of occlusal adjustments	92
Case selection (history)			94
Formulating treatment plan			94

Clinical examination	96	10. Matrices, Retainers and Wedges	183–195
Caries risk assessment	99	Tooth separation	183
Caries activity tests	101	Matrices	184
Systemic diseases influencing treatment planning	104	Matrices for Class II, MOD and complex restorations	185
Maintenance phase	106	Matrices for Class III restorations	188
7. Diagnosis and Diagnostic Aids	107–136	Matrices for Class IV restorations	188
Caries diagnosis	107	Matrices for Class V restorations	189
Diagnostic tools	108	Matrix retainers	190
Visual examination	108	Wedges	191
Tactile examination	108	Wedging system	193
Radiographic methods	115	11. Isolation of the Operating Field	196–213
Electrical resistance	121	Isolation from moisture (direct methods)	196
Optical detection methods	123	Rubber dam	196
Endoscopic/videoscopic methods	132	Cotton rolls and cotton roll holders	204
Dye penetration method	132	Gauge pieces	205
Miscellaneous	132	Absorbent pads	205
8. Instruments, Instrumentation and Operating Positions	137–162	Evacuation systems	205
Hand cutting instruments	137	Gingival retraction cord	206
Metallurgy	137	Indirect methods	208
Classification	137	Isolation from the soft tissue	208
Designing characters	138	Management of cheeks, lips and tongue	208
Instrument nomenclature	139	Management of gingival tissues	208
Instrument formula	139	12. Principles of Cavity Preparation	214–234
Cutting planes (instrument beveling)	139	Outline form	214
Non-cutting instruments	144	Modification of outline form	216
Instrument grasps	146	Enameloplasty	217
Sharpening of hand instruments	148	Resistance and retention forms	218
Rotary-driven instruments	149	Convenience form	223
Dental handpieces	149	Removal of remaining carious dentin	224
Dental burs	151	Pulp protection	224
Abrasive instruments	156	Finishing the enamel walls and margins	225
Mechanism of cutting	158	Toilet of the cavity	225
Patient and operator positions	159	Present concept of principles	226
9. Sterilization and Infection Control	163–182	Conservative cavity preparation	228
Terminology	163	Forces exerted during functional occlusion	229
Categorization of instruments	163	Marginal ridge and occlusal forces	231
Presterilization	163	Stresses distribution in individual restorations	233
Methods of sterilization	165	13. Interim Restorations	235–244
Physical method	165	Interim restorative materials (rationale)	235
Chemical method	169	For intracoronal preparation	236
Radiation method	173	Guuta-percha	236
Causes of sterilization failures	174	Dental cements	236
Control of sterilization	175	For extracoronal preparation	241
Sterilization of headpieces	175	Prefabricated crowns	241
Sterilization of burs	176	Indirect acrylic restorations	243
Infection control	176		
Methods for infection control	177		

14. Silver Amalgam**245–266**

Composition of silver alloy	245
Effect of constituent metals	246
Alloy mercury reaction	246
Cavity preparation	247
Manipulation of silver amalgam	256
Failures of dental amalgam	259
Gallium alloys	261
Modified silver restorations	262
Bonded amalgam restorations	262
Fluoridated amalgam	263
Amalgam restorations and oral environment	263
Mercury and its management	264

15. Direct Filling Gold**267–280**

Properties of pure gold	267
Types of direct filling gold	267
Annealing/degassing	270
Condensation/compaction	270
Biologic effects of pure gold restoration	273
Indications	274
Contraindications	274
Cavity preparation and restoration	275

16. Cast Metal Restorations**281–306**

Noble vs base metals	281
Indications	282
Contraindications	283
Advantages and disadvantages	283
Cavity design for cast restorations	283
Types of margins in cast restoration	286
Bevels	287
Flares in cast restorations	288
Cusp capping/onlay	289
Tucker's technique	289
Fabrication of cast restorations	290
Casting the pattern	298
Procedure of casting	299
Thermal expansion casting technique	299
Hygroscopic expansion technique	300
Finishing and polishing	300
Casting defects	303

17. Complex Restorations**307–317**

Extra retentive devices	307
Pin-retained restorations	309
Indications	309
Advantage/disadvantage	309
Classification	309
Principles of pin placement	311

Pinhole preparation	313
Pin, stresses and tooth	313
Factors affecting retention of pins	314
Complication during pin placement	315
Effects of pins on pulp	316
Amalgapins	316

**18. Dentin Hybridization:
Bonding Agents****318–349**

Common terms: Definitions	318
Factors affecting Adhesion	319
Tooth as a substrate for bonding	320
Bonding to enamel	320
Bonding to dentin	323
Dentin bonding agents	326
Classification (evolution) of dentin bonding agents	328
Alternative classification (evolution) of bonding agents	333
Categorization of adhesives based on their action on smear layer	335
Resin–dentin bond: Degradation and management	337
Bonding in other clinical situations	339
Additives for bonding agents	342
Role of water in the bonding process	343
Water treeing phenomenon	343
Nanoleakage and water treeing	345
Success/failure of adhesives	345

19. Composite Restorations**350–386**

Composition	350
Evolution of composites	352
Properties of composites	352
Advances in composites	352
Curing of composites	356
Light-curing units	357
Cavity preparation	360
General consideration	360
Placement of composites	364
Establishing proximal contacts	369
Failures in composite restorations	369
Composite laminates and veneers	372
Componeers	373
Composite inlays	376
Classification of composite inlay	376
Evolution of composite inlay material	377
Cavity preparation	377
Repair of composite restorations	382

20. Glass-Ionomer Cement	387–405	Microleakage around cast restorations 443
Composition	387	Microleakage around 444
Classification	388	porcelain restorations 444
Uses of glass-ionomer cement	388	Methods to detect microleakage 444
Setting reaction	389	Nanoleakage 448
Physical and mechanical properties	390	
Modified glass-ionomer cements	392	
Metal modified glass-ionomers	392	
Resin modified glass-ionomer cements	393	
Compomer	393	
Giomers	394	
Antibacterial glass-ionomer	394	
Glass carbomer	395	
Zirconomer	396	
Low pH smart materials	396	
Placement of glass-ionomer cement	396	
Clinical applications	400	
Failure of glass-ionomer restoration	403	
21. Ceramic Restorations	406–434	23. Finishing and Polishing 451–468
Terminology: Definitions	406	Definitions 451
Composition	407	Objectives of finishing and polishing 452
Classification	409	Finishing and polishing instruments 452
Properties of porcelain	409	Abrasive materials 453
Strengthening of ceramic	410	Adjunct finishing modalities 454
Condensation of porcelain	411	Microabrasion 454
Firing procedure	412	Burnishing 454
All ceramic systems	413	Finishing and polishing of individual 455
Ceramic restorations	418	restorations 455
Ceramic inlays/onlays	418	Amalgam restorations 455
Cavity preparation	418	Composite restorations 456
Fabrication of a porcelain inlay	421	Glass-ionomer restorations 458
Cavity considerations for	426	Direct gold restorations 461
CAD-CAM inlays		Cast gold restorations 461
Ceramic laminates/veneers	428	Non-precious alloy restorations 462
Repair of ceramic restorations	430	Porcelain restorations 463
22. Microleakage	435–450	Concept of finishing polish 465
Clinical implication of microleakage	435	Hazards of finishing and polishing 465
Restorative material and microleakage	436	
Role of smear layer	437	24. Color Perception 469–483
Factors controlling bacterial	438	Source of light 469
penetration at tooth–restoration gap		Optical characteristics 469
Microleakage and restorative materials	438	Color 471
Microleakage around	438	Structure and function of eye 472
amalgam restorations		Perception of color 472
Microleakage around	439	Additional features in color perception 473
glass-ionomer restorations		Metamerism 473
Microleakage around composite	440	Fluorescence 473
restorations		Opalscence 473
Microleakage around direct	443	Basic color schemes 474
gold restorations		Color harmonies 474
		Additive color theories 474
		Subtractive color theories 474
		Color systems 474
		Munsell color system 475
		CIE system 476
		CIE (modified) $L^*a^*b^*$ color space 476
		CIE (modified) $L^*C^*h^*$ color difference 477
		Optics of natural teeth 477
		Dental shade guides 478
		Shade-taking devices 479
		Guidelines for clinical shade selection 479
		Procedure for shade matching in 481
		porcelain restorations

25. Esthetics and Smile Designing	484–496	28. Minimal Intervention Dentistry	534–552																																																																																								
Principles of esthetics	484	Core principles	534																																																																																								
Esthetic smile designing	486	Components of minimal invasive approach	535																																																																																								
Facial analysis	486	Early diagnosis of caries	535																																																																																								
Lip analysis	487	Caries risk assessment	535																																																																																								
Incisal display	487	Strategies to arrest existing carious lesions	536																																																																																								
Gingival tissue analysis	488	Remineralization of existing lesions	537																																																																																								
Treatment planning	490	Restoring cavitated lesions	539																																																																																								
Cosmetic contouring	491	Caries inhibition by resin infiltration	549																																																																																								
Diastema closure	492	Repair rather than replacement of defective restorations	550																																																																																								
Adhesive restoration	493																																																																																										
Lasers	495																																																																																										
Ethics in esthetic dentistry	495																																																																																										
26. Tooth Substance Loss	497–519	29. Dentinal Hypersensitivity	553–564																																																																																								
Attrition	497	Incidence and prevalence	553																																																																																								
Biocorrosion	499	Etiopathogenesis	553																																																																																								
Bruxism	499	Factors affecting hypersensitivity	555																																																																																								
Cervical lesion	499	Measuring tooth hypersensitivity	555																																																																																								
Carious cervical lesions	500	Diagnosis	556																																																																																								
Non-carious cervical lesions	500	Management of hypersensitivity	557																																																																																								
Abrasion	501	Treatment modalities	557																																																																																								
Erosion	502	Newer materials	560																																																																																								
Abfraction	507	Prevention	561																																																																																								
Biomechanics of a Class V cavity	510																																																																																										
Measuring tooth substance loss	511																																																																																										
Treatment of tooth substance loss	512																																																																																										
Treatment of carious cervical lesions	512	30. Management of Deep Carious Lesions	565–575																																																																																								
Treatment of non-carious cervical lesions	512	Treatment of attrition	515	Arrested caries	565	Dahl concept	517	Repair of pulp–dentin complex	566	27. Geriatric Restorations	520–533	Treatment modalities of deep caries lesions	567	Age changes in dental tissues	520	Indirect pulp capping	567	Mechanism of aging	521	Direct pulp capping	568	Aging and dental tissues	521	Pulp curettage	573	Age changes in enamel	521	Partial pulpotomy	573	Age changes in dentin	521	Pulpotomy	574	Age changes in pulp	522			Age changes in cementum	523	31. Pulpal Reactions	576–588	Age changes in bone	523	Age changes in periodontium	524	Terminology	576	Age changes in salivary glands	524	Pulp–dentin organ	576	Clinical implications	524	Pulpal response to restorative materials	578	Treatment planning for elderly	525	Intensity of pulpal response	578	Management of common oral diseases in elderly	529	Stages of pulpal inflammation	579	Considerations for prescribing medications to the elderly	532	Evaluation of biocompatibility	581			Pulpal reaction to commonly used restorative materials	581			Pulpal reaction to tooth preparation	584			Pulpal reaction to caries	585			Pulpal reaction to trauma	586			Orthodontic movement and pulpal reaction	586			Pulpal reaction to vital bleaching	588
Treatment of attrition	515	Arrested caries	565																																																																																								
Dahl concept	517	Repair of pulp–dentin complex	566																																																																																								
27. Geriatric Restorations	520–533	Treatment modalities of deep caries lesions	567																																																																																								
Age changes in dental tissues	520	Indirect pulp capping	567																																																																																								
Mechanism of aging	521	Direct pulp capping	568																																																																																								
Aging and dental tissues	521	Pulp curettage	573																																																																																								
Age changes in enamel	521	Partial pulpotomy	573																																																																																								
Age changes in dentin	521	Pulpotomy	574																																																																																								
Age changes in pulp	522																																																																																										
Age changes in cementum	523	31. Pulpal Reactions	576–588																																																																																								
Age changes in bone	523	Age changes in periodontium	524	Terminology	576	Age changes in salivary glands	524	Pulp–dentin organ	576	Clinical implications	524	Pulpal response to restorative materials	578	Treatment planning for elderly	525	Intensity of pulpal response	578	Management of common oral diseases in elderly	529	Stages of pulpal inflammation	579	Considerations for prescribing medications to the elderly	532	Evaluation of biocompatibility	581			Pulpal reaction to commonly used restorative materials	581			Pulpal reaction to tooth preparation	584			Pulpal reaction to caries	585			Pulpal reaction to trauma	586			Orthodontic movement and pulpal reaction	586			Pulpal reaction to vital bleaching	588																																										
Age changes in periodontium	524	Terminology	576																																																																																								
Age changes in salivary glands	524	Pulp–dentin organ	576																																																																																								
Clinical implications	524	Pulpal response to restorative materials	578																																																																																								
Treatment planning for elderly	525	Intensity of pulpal response	578																																																																																								
Management of common oral diseases in elderly	529	Stages of pulpal inflammation	579																																																																																								
Considerations for prescribing medications to the elderly	532	Evaluation of biocompatibility	581																																																																																								
		Pulpal reaction to commonly used restorative materials	581																																																																																								
		Pulpal reaction to tooth preparation	584																																																																																								
		Pulpal reaction to caries	585																																																																																								
		Pulpal reaction to trauma	586																																																																																								
		Orthodontic movement and pulpal reaction	586																																																																																								
		Pulpal reaction to vital bleaching	588																																																																																								

32. Tooth Discoloration and Bleaching 589–608

Tooth discoloration and staining	589
Bleaching of teeth	590
Bleaching agents	591
Bleaching modalities	592
Vital tooth bleaching	593
Non-vital bleaching	598
Laser-assisted tooth whitening	600
Bleaching with non-thermal atmospheric plasma	603
Over the counter products	603
Advanced techniques	604
Adverse effects of bleaching	604

Conventional categorization of lasers	612
Routinely used lasers	613
CO ₂ laser	613
Argon laser	613
Nd:YAG laser	614
Er:YAG laser	614
Excimer laser	614
Uses of lasers in operative (conservative) dentistry	615
Laser hazards	619
Laser safety	620

34. Magnification in Restorative Dentistry 623–633**33. Laser in Restorative Dentistry 609–622**

Principle of laser	609
Laser device	609
Laser delivery system	610
Laser emission modes	610
Mechanism of action	611
Laser–tissue interaction	611
Classification	611

Magnifying tools	623
Ergonomics	625
Components of microscope	626
Use of operating microscope in restorative dentistry	630
Advancements in magnification	632
<i>Appendix</i>	635
<i>Index</i>	637

Introduction to Restorative Dentistry

Restorative dentistry, the mother of all branches of dentistry, deals with restoration of teeth that are defective because of trauma, disease or any other abnormality to achieve functions and esthetics. Restorative dentistry includes restorative dentistry, preventive dentistry and esthetic dentistry. The ultimate aim is to prevent the destruction of teeth followed by restoring the damaged tooth to its function.

DEFINITIONS

Restorative dentistry is defined as "*the branch of dentistry, which deals with the diagnosis, prognosis, treatment and prevention of defects of teeth; restoring them to their form, function and esthetics; subsequently, maintaining the stomatognathic system*".

Mosby's Medical Dictionary defines restorative dentistry as "the phase of dentistry concerned with restoration of teeth that are defective through disease, trauma or abnormal development to a state of normal function, health and esthetics, including preventive, diagnostic, biologic, mechanical and therapeutic techniques as well as material and instruments science on application".

Mosby's Dental Dictionary defines restorative dentistry as "the branch of dentistry that deals with the esthetic and functional restoration of the hard tissues of individual teeth".

Conservative dentistry is concerned with the conservation of tooth tissues in the oral cavity. It includes the practice of restorative dentistry and endodontics, facilitating various kinds of direct and indirect restorations of individual teeth.

EVOLUTION OF RESTORATIVE DENTISTRY

Since literature was meagre in ancient days, the genesis of dental practice could not be ascertained. Early efforts were made by the Europeans and the Arabians; however, they were interested mainly in gold work prosthesis. Gold is considered to be one of the oldest materials used in dentistry.

As early as 2700 BC, Etruscans and Phoenicians were practicing gold crowns. The practice continued up to 500–700 BC. Hippocrates (460–370 BC), the father of medicine, was born in 460 BC in Cos (Greece). Many of his writings have references of teeth, their formation, eruption and other maladies. In one of his books, he observes; in case of toothache, if the tooth is decayed and loose, it must be extracted. If it is neither decayed nor loose, but still painful, it is necessary to desiccate it by cauterizing. Splinting of loose mandibular anterior teeth by gold wires has been shown in Fig. 1.1 (an ancient photograph). Restorative aspect was not practiced during that period. Celsus (25 BC–50 AD) was perhaps the first to recommend filling of large cavities with paper, lead and other substances somewhere around 1st century AD. Dental amalgam was first used by a Chinese, Su-Kung, in 650 AD. The use of gold leaf to fill cavities was perhaps the most significant development of medieval and early modern period from standpoint of restorative dentistry. It is known with certainty that gold leaves were used extensively at the time of Columbus.



Fig. 1.1: Splinting of mandibular anterior teeth with gold wires

Oral hygiene measures were adopted by various religious sects. Both Hindus and Muslims made it mandatory to follow the oral hygiene measures meticulously.

Sushruta was perhaps the first dental anatomist in the world who had described the anatomy of jaw bones with great accuracy. He also described that the lower third molar could press the inferior dental nerve. The chief contribution to dentistry (from the beginning of Christian era to about 1500 AD) seems to be a shift from prosthesis to restoration of carious teeth. According to Arabian author Rhazes (841–926), carious teeth were filled with ground mastic, alum and honey during that period.

A description of removal of carious matter from teeth before filling with gold leaf was given by Giovanni da Vigo (1460–1525) in his article 'Practica in arte Chirurgica' Copiosa (1514).

Andreas Vesalius (1514–1564) in his book on anatomy 'De humani corporis fabrica' published in 1543, categorically said that teeth were not bones. However, his opinion that teeth grow throughout life, was discarded.

Ambroise Pare (1517–1590) is credited with having prepared artificial tooth from bone and ivory.

Jacques Guillemeau (1550–1613) who was a pupil of Pare, prepared a paste by fusing together certain waxes, gums, ground mastic, powdered pearl and white coral. He used this paste as a filling material.

Beginning of Dental Science (1600–1840)

It was during this period that the foundation for restorative dentistry as a science was laid down. Prior to that, dentistry was merely an art practiced by barbers, surgeons or artisans.

In the beginning of 17th century wax models used in connection with prosthetic work were first mentioned by Matthaeus Gottfried Purmann. Charles Allen (1687) gave first written material on dentistry 'Operator for the Teeth'. By the beginning of 19th century, dentistry was no longer in hands of barbers/artisans but was practiced by professionally minded dentists/surgeons.

Pierre Fauchard (1678–1761), popularly known as father of dentistry (Fig. 1.2), described the materials and practices of his time in his book 'Traité des dents' (Treatise on the Tooth). He was among a few scholars who described the causes of tooth decay and their prevention. He suggested humoral imbalance as the main cause for dental decay. Earlier the explanation of caries and toothache was attributed to the tooth worm. At that time, the restorative materials mentioned were lead, tin and gold, though his preference was for tin.



Fig. 1.2: Pierre Fauchard (1678–1761)

He brought a new dignity and decorum to the dentist's office by insisting that the patient be seated in an arm chair which is steady and firm, suitable and comfortable, the back of which should be of horse hair or with a soft pillow raised more or less according to the stature of the patient and particularly to that of the dentist.

Robert Bunon (1702–1748), a well known dentist of that era, challenged the belief that maxillary canines should never be extracted because this would damage the eyes. He also refuted the notion that the pregnant women should not be given dental treatment.

John Hunter (1728–1793) published a book, "The Natural History of Human Teeth" in 1771, which dealt mostly with dental anatomy, anatomy of jaws and muscles of mastication. He was the pioneer in coining the terms incisors, canines and premolars. He also gave the idea that the teeth do not grow throughout life.

Low fusing metal alloy was introduced by Jean Darcet in 1770. Bowden (1775) made the first reference to use gold base to support ivory teeth with gold pins.

A baked porcelain complete denture was made in a single block by French dentist Dubois de Chement in 1788. Josiah Flagg (1790) invented first dental chair with adjustable headrest and extended armrest for holding instruments (Fig. 1.3). Since then, there is continuous improvement in the design of dental chair to provide better comfort both to the patient and the operator (Figs 1.4 and 1.5).

RC Skinner contributed maximum in the dental literature. His book 'A Treatise on the Human Teeth' practically a sixteen page pamphlet was published in 1801. The book mainly dealt with dental diseases and their prevention.

The combination of silver and mercury to form 'silver paste' was announced by M Taveau of Paris in 1826. This was the beginning of dental amalgam which is recognized as one of the outstanding developments in the field of dentistry.



Fig. 1.3: First dental chair



Fig. 1.4: Improved dental chair



Fig. 1.5: Modern dental chair

Chapin Harris (1806–1860) published his book '*The Dental Art: A Practical Treatise on Dental Surgery*' regarding various aspects of dentistry. He was also instrumental in starting the first scientific journal '*American Journal of Dental Sciences*' on 1st June, 1839. He was so attached with the journal that for the first ten years, he bore all the expenditure himself.

Period of Improvement in Dentistry (1840–1900)

On 6 March 1840, first dental college 'Baltimore College of Dental Surgery' came into existence with only five admissions.

In 1840, American Society of Dental Surgeons was established and a couple of years later they banned the use of silver amalgam. In 1845, Amalgam pledge was taken by the members of society. Later in 1855, Dr Townsend of Philadelphia proposed a combination of four parts of silver and five parts of tin. This was unbalanced alloy having poor edge strength but this was used until about 1863. Dental profession remained hesitant about the use of amalgam until GV Black (1885) in his article 'Physical Characteristics of Filling Materials', suggested a formula for amalgam so that it neither expanded nor contracted and also hardness was sufficient. His contributions for restorative dentistry are unmatched. His writings might be more than hundred years old but are followed even today. Greene Vardiman Black is rightly remembered as the father of restorative dentistry (Fig. 1.6).

Gutta-percha, the exudate from trees of Sapodilla family, was discovered in India in 1842. Gutta-percha along with zinc oxide eugenol was used for purpose of temporary fillings as advocated by Hill in 1848.




Fig. 1.6: Greene Vardiman Black (1836–1915)

Zinc oxide eugenol cement was introduced in 1858. These were very easy to handle and manipulate even in the presence of moisture, well tolerated by pulp and provided good marginal seal; however, lacked strength, had prolonged setting time and low resistance to abrasion.

In 1871, a translucent cement (silicate cement) was introduced by Fletcher in England. Dr. Pierce introduced zinc phosphate cement in 1879.

Gas and gasoline furnaces were introduced by Charler (1889) for high fusing porcelain inlays and electric furnace was introduced by Lewitt Ellsworth Custer (1894).

Dentistry in 20th Century

With the beginning of 20th century, the quality of restorative material were refined and improved.

William H. Taggart (1855–1933) introduced casting method for inlay in 1907. Lane suggested the idea of casting by using investment containing high percentage of silica to Plaster of Paris at 650°C to compensate for casting shrinkage. Schen (1932) developed a technique employing hygroscopic expansion of investment to compensate for shrinkage of casting. Sonder (1942) recognized that thermal expansion of investment was greatly inhibited by rigid metal casting ring and advocated lining the ring with soft asbestos.

Gaylor (1935) first described chemistry of amalgam reaction. She was also responsible for naming various phases as gamma, gamma 1 and gamma 2. Innes and Youdelis (1963) presented improved alloy containing high copper content (12%) in form of silver-copper eutectic spheres. This new alloy was named admixed alloy. Further, Asgar (1974) developed single composition high copper alloy.

Self-curing acrylic resins for anterior restorations was developed in Germany in 1937 by Walter Wright.

In an effort to improve the physical properties of unfilled acrylic resins, Bowen of National Bureau of Standards developed a polymeric restorative material reinforced with silica particles, commercially known as composite.

Polycarboxylate cement was introduced by Dennis Smith in 1968. This cement was only dental cement with adhesive qualities.

Glass-ionomer cement was invented by Wilson and Kent (1971), with the need to improve upon the properties of silicates and polycarboxylate cements, so as to provide adherence to tooth and a better seal. Improvements in all these materials continued with the advent of antibacterial composites, giomers, etc.

CHRONOLOGY OF MAJOR EVENTS IN RESTORATIVE DENTISTRY

- 1400: Use of gold in leaf form for filling teeth by Joannes Aculanus.
- 1538: Important observations on development of teeth by Andreas Vesalius.
- 1560: Preparation of artificial teeth from bone and ivory by Ambroise Pare.
- 1650: Copper amalgam by Stocker.
- 1684: Use of wax in taking impressions of the teeth by Matthaeus Gottfried Purmann.
- 1687: First written material on dentistry "Operator for the Teeth" by Charles Allen.
- 1728: Use of lead, tin and gold for filling by Pierre Fauchard.
- 1767: Gold foil by Robert Woffendale.
- 1770: Low fusing metal alloy by Jean Darct.
- 1774: Porcelain as dental restorative material by Alexis Duchateau.
- 1789: A French dentist De Chemant patented 1st porcelain tooth material.
- 1790: First dental chair by Josiah Flagg.
- 1806: 26 different shades of porcelain by Giuseppangelo Fonzi.
- 1808: Fonzi, Italian dentist, invented terrometallic porcelain tooth that was held in place by platinum pin or frame.
- 1812: Non-cohesive gold for filling by Marcus Bull.
- 1818: Father of amalgam—Dr. Louis Regnart.
- 1819: Bell's Putty (a kind of silver amalgam) by Charles Bell.
- 1826: "Silver paste" (a mixture of silver and mercury) introduced by M. Taeveau.
- 1838: Hand drill with adjustable head by John Lewis.
- 1838: Condensation of gold foil by E. Meritt.
- 1839: American Journal of Dentistry was published.
- 1840: First dental college of the world, i.e. Baltimore Dental College.
- 1840: First national dental organization, i.e. The American Society of Dental Surgeons.
- 1845: Dental drill by William Rogers.
- 1848: Gutta-percha temporary stopping by Hill.
- 1855: Cohesive annealed gold foil by Robert Arthur.
- 1857: Impression compound by Stent.
- 1858: Flexible engine cable by Charles Merry.
- 1861: Zsigmondy/Palmer Notation.
- 1862: Angled handpiece by Charles Merry.
- 1864: Rubber Dam by Sanford C. Barnum.
- 1868: Textbook of Restorative Dentistry by Dr. Jonathan Taft.
- 1871: Dental engine by Morrison.
- 1871: Steel matrix for proximal cavities by Louis Jack.
- 1872: Carborundum disc by Robert Arthur.

1873: Silicate cement by Fletcher.

1873: Gold shell crowns by JB Beers.

1873: Zinc oxide and clove oil by Chisolm.

1875: Separators by Jarvis.

1879: Zinc phosphate cement by Dr. Pierce.

1885: "Physical Character of Filling Material" book published by Dr GV Black

1889: WD Miller—Chemicoparasitic theory of caries.

1890: "Descriptive Anatomy of Human Teeth" book published by GV Black.

1897: 1st diamond dental bur by William and Schroeder.

1903: Dr. Charles Land patented 1st ceramic crown.

1907: Practical method of casting of gold inlay by WH Taggart.

1910: High silica investment material by Von Horn.

1915: Pin retention by Burgess.

1925: Agar-agar compound by Poller.

1930: Calcium hydroxide paste by Hermann.

1935: Chemistry of reaction of amalgam and phases.

1937: Reversible hydrocolloids by Sears.

1937: Acrylic resins by Walter Wright.

1941: Silver wires (which were later called silver cones or silver points) by Jasper.

1944: Gottlieb-Proteolytic theory of caries.

1951: Ultrahigh speed air rotor handpieces.

1953: Fluid turbine type handpieces by Nelson and Nelson.

1955: Phenomenon of acid etching by Buonocore.

1955: Schatz and Martin—Proteolysis chelation theory of caries.

1958: Cemented pins by Dr. Miles Markley.

1959: 1:1 ratio of mercury: alloy by Dr. Wilmer Eames.

1960: Composite by RL Bowen.

1960: Friction lock pins by Dr. Philip Goldstein.

1963: High copper alloy (Admixed type) by Innes and Youdelis.

1963: Vita Zahnfabrik introduced 1st commercial porcelain.

1965: McLean and Hughes introduced aluminous porcelain.

1966: Self-threading pins by Going.

1967: Eggers Lura proposed sucrose chelation theory of caries.

1968: Polycarboxylate cement by Smith.

1971: Glass ionomer cement by Wilson and Kent.

1971: Dental notation by FDI, i.e. Federation Dentaire Internationale.

1972: 1st Machinable mica glass ceramic (Macor M) was patented by Corning Glass Works Co.

1973: Duret et al first used CAD-CAM.

1974: Single composition high copper alloy by Asgar.

1976: Base metal alloys by Bauer and Eden.

1980: Amalgapin by Shavell.

1980: LK Bandlish introduced Bandlish theory of dental caries.

1982: Nakabayashi introduced concept of bonding.

1983: Simmons introduced miracle mix.

1984: Adair and Grossman developed castable glass ceramic (DICOR).

1984: Microabrasion concept introduced by McClosky.

1985: Hobo S and Iwata T developed castable apatite ceramic (Cerapearl).

1985: McLean and Gasser developed glass cermet.

1989: Wohlwend, et al developed injection moulded glass ceramic.

1989: 1st resin modified glass-ionomer (Vitrebond) was developed by 3M.

1993: Dentsply launched Dyract, 1st compomer.

1994: Imazato et al developed antibacterial composite containing MDPB.

1995: High viscosity glass-ionomer cements was introduced.

1997: Heraeus Kulzer introduced packable composites.

1998: Ceramay introduced leucite reinforced porcelain.

1998: Mount introduced newer classification of carious lesions.

1999: Sikri suggested modified classification of caries/cavities.

1999: Deb, et al. developed glass-ionomer cement containing strontium oxide.

2000: Fast setting glass-ionomer cement was introduced by 3M ESPE.

2002: Shofu introduced Giomers.

2003: Lohbauer, et al. developed fiber reinforced GIC.

2003: Mazzaoui, et al. developed CPP-ACP added GIC.

2005: Pamir, et al. developed glass-ionomer cement containing titanium tetrafluoride.

2005: Hurrell-Gillingham, et al developed glass ionomer containing iron oxide.

2006: Gu, et al. added hydroxyapatite and hydroxyapatite/ZrO₂ in glass-ionomer cement.

2006: Prentice, et al. developed glass-ionomer cement containing boric acid.

2007: 3M ESPE introduced siloranes containing composite.

2010: Poly quaternary ammonium salts in antibacterial glass-ionomer cement.

2010: Kerr introduced Vertise flow, self-adhering flowable composite.

2010: Dentsply introduced smart dentin replacement technology.

2010: 'Biodentine' was introduced by Septodont

2011: Kerr introduced 'sonic fill' composite filling system, whereby ultrasonic energy allows composite to be evenly distributed in cavities up to 5.0 mm.

2012: Coltene Whaledent introduced 'componeers' as direct ready made composite veneers having a thickness of 0.3 mm, requiring no tooth preparation for application.

2014: 3M ESPE introduced Aligner impression (Invisalign)

2015: GC introduced Equia and Equia forte (Glass-ionomer based bulk restorative material)

2016: Ivoclar-Vivadent introduced Cention N [Akasite (alkaline filler) direct composite]

2017: Dexus launched CariVu for detection of caries/ cracks

2017: Harvey patented 'Stamp' technique (occlusal topography), mainly for composite restorations

2017: Carestream Dental introduced CS 3600 intraoral scanner (digital impression)

2018: Dexus introduced portable digital X-rays

AIMS AND OBJECTIVES

The aims and objectives of restorative dentistry are:

1. Preservation of the healthy tooth structure; maintain integrity of the remaining tooth structure and pulp vitality as well.
2. Prevention of diseases affecting the tooth tissues (mainly caries; developmental diseases and iatrogenic fractures, etc. can be prevented at different stages).
3. Abolition and prevention of pain is also part of the 'preventive regime'.
4. Interceptive procedures, if need be, to control active disease process and to prevent further progression of the disease.
5. Restoring teeth to their form and function along with imparting pleasing esthetics. The restoration should create precise marginal seal and smooth marginal junction. It should also provide adequate

strength to both the tooth and the restorative material.

6. Maintaining the oral health, following periodic evaluation. The disease process is to be managed at its incipient stage.

Aims and objectives
<ul style="list-style-type: none"> • Preservation • Prevention • Interception • Restoration • Esthetics • Maintenance

INDICATIONS

The categories that primarily need restorative (restorative) treatment are:

1. *Caries*: All or any type of carious lesions on any surface of the tooth and in any age group are indicated for restorative treatment (Fig. 1.7A, B).
2. *Malformed teeth*: Developmental defects, viz. peg shape/mulberry shape teeth, hypoplastic, microdontia, etc. need restorative treatment for improvement of functions and esthetics (Fig. 1.8A, B).
3. *Discolored/stained teeth*: Management of discolored/stained teeth with bleaching, microabrasion and/or veneering, etc. (Fig. 1.9A, B).
4. *Fractured teeth*: Fracture of part of tooth tissue or even avulsion is treated by restorative procedures (Fig. 1.10A, B).
5. *Tooth substance loss*: Features like, attrition, abrasion, erosion, abfraction, etc. are managed in restorative dentistry (Fig. 1.11A, B).
6. *Defective restoration*: Defective restorations, because of any reasons, are repaired or replaced using restorative techniques (Fig. 1.12A, B).



Fig. 1.7: Proximal caries: (A) Anterior teeth; (B) Posterior teeth



Fig. 1.8: Malformed teeth: (A) Peg shaped; (B) Microdontia



Fig. 1.9: Abnormal tooth color: (A) Discolored tooth; (B) Stained tooth



Fig. 1.10: Tooth fracture: (A) Incisal edge fracture (maxillary incisor); (B) Half crown fracture (maxillary incisor)




Fig. 1.11: Tooth substance loss: (A) Attrition (maxillary incisors); (B) Abfraction (maxillary teeth)




Fig. 1.12: Defective restorations: (A) Marginal defect (mandibular first molar); (B) Leakage/secondary caries (maxillary first molar)

7. *Esthetic improvement:* Esthetic corrections of diastema, asymmetrical size, etc., are managed by restorative procedures (Fig. 1.13A, B).

Indications

- Caries
- Malformed teeth
- Discolored/stained teeth
- Fractured teeth
- Tooth substance loss
- Defective restoration
- Esthetic improvement

FUTURE OF RESTORATIVE DENTISTRY

The future of restorative dentistry seems to be bright. The developments of new technology will continue. The armamentarium for prevention and diagnosis will flourish. A chair-side litmus paper test will be a valuable tool to analyze the status of the pulp. Nanotechnology, i.e. fabrication of very small size machines is being tried in medical field. Medical nanorobots have been proposed for pharmaceutical research, clinical diagnosis, rewriting DNA sequences in cells repairing brain damage, etc. This technology




Fig. 1.13: Esthetic improvement: (A) Peg-shaped lateral incisors; (B) Crowded anterior teeth

will be utilized in dentistry too. Nanodentistry may evolve through several stages of technical developments, initially using genetic engineering, tissue regeneration and later involving growth of new tooth *in vitro*. One day the complete replacement of dentition should become feasible with installation of biologically autologous tooth replacement. Nanodentistry can also result in renaturation procedure, which means replacement of old amalgam fillings with biological materials.

In addition to all these, the durability and appearance of teeth can also be increased by replacing the upper enamel with covalent bonded artificial materials, like sapphire and diamond, which have more strength and hardness. Other changes, which can be predicted in dentistry, are the development of caries vaccinations, lasers replacing high-speed handpieces, three-dimensional radiographs and last but not the least the computer helping to enhance both delivery and predictability of dental procedures. The future dental surgeons, in all probability, will see convenient and better dentistry.

BIBLIOGRAPHY

1. Anastasiou AD, Strafford S, Posada-Estefan O, Thomson CL, Hussain SA, Edwards TJ, Malinowski M, Hondon N, Metzger NK, Brown CTA, Routledge MN, Brown AP, Duggal MS, Jha A. Pyrophosphate: A potential biomaterial for dental applications. *Mat Sci Engg* 2017; 75:885–94.
2. Berry J. The demographics of dentistry. *JADA*: 1996; 127:1327–30.
3. Featherstone JDB, Somejean S. Minimal intervention dentistry: Part I. From 'compulsive' restorative dentistry to rational therapeutic strategies. *Br Dent J* 2012;213: 441–45.
4. Hume WR. Restorative dentistry: current status and future directions. *J Dent Educ* 1998; 62:781–90.
5. Lesfer KS. The future of conservative dentistry. *Aust Dent J* 1986; 31:111–16.
6. Millibery GS. The future of operative dentistry—A forecast. *JADA* 1925; 12:909–17.
7. Opdam NJM, Collares K, Hickel R, Bayne SC, Loomans BA, Cenci MS, Lynch CD, Correa MB, Demarco F, Schwendicke F, Wilson NHF. Clinical studies in restorative dentistry: New directions and new demands. *Dent Mater* 2018;34:1–12.
8. Wolff D, Schick S, Staehle HJ, Frese C. Novel microsculpels for removing proximal composite resin overhangs on class II restorations. *Oper Dent*: 2017;42:297–307.

Nomenclature and Terminology

For understanding the concepts of operative dentistry, it is essential that the clinician be thoroughly familiar with the technical terms used during the treatment. These terms also help in recording the patient's signs and symptoms, which can be useful during subsequent visits of the patient. Let us first be familiar with the notation systems, i.e. the systems used for denoting teeth in the arch.

The majority of the tooth notation systems fall into two categories:

- A. Systems having similar notation in each segment
- B. Systems having different notation in each segment

Tooth notation systems were originally developed for designating permanent teeth, later supplementary systems for the temporary dentition were established; often by adding to the symbols used in the basic systems.

In the description of various systems that follows, the method used for denoting temporary teeth is given second to the method used for denoting permanent teeth.

A. SYSTEMS HAVING SIMILAR NOTATION IN EACH SEGMENT

System 1: The oldest method used in this group is 'Zsigmondy system' (Zsigmondy, 1861). The central incisor of each segment is given the number '1' and the numbers then run in the distal direction. The segments are shown as the patients' upper right, upper left, lower right and lower left segments, respectively.

The Zsigmondy system is frequently employed both in Europe and America. It is also common in Australia and Japan. In English speaking countries, it is generally known as Palmer's notation (Palmer, 1891).

The temporary teeth are indicated merely by altering the Arabic numerals to Roman ones.

Zsigmondy's system (permanent teeth)									
R 8 7 6 5 4 3 2 1					1 2 3 4 5 6 7 8				
R 8 7 6 5 4 3 2 1					1 2 3 4 5 6 7 8				

Sometimes temporary teeth are designated with the letters a–e or with capital letter A–E instead of Roman numerals I–V or letter D (deciduous) placed after the number of the tooth or a small 'd' is placed before the number of the tooth. The temporary teeth may also be indicated by the addition of the letter 'm' after the number of the tooth.

Different variants for temporary teeth												
R	V	IV	III	II	I	I	II	III	IV	V	L	
R	e	d	c	b	a	a	b	c	d	e	L	
R	E	D	C	B	A	A	B	C	D	E	L	
R	E	D	C	B	A	A	B	C	D	E	L	
R	5D	4D	3D	2D	1D	1D	2D	3D	4D	5D	L	
R	5D	4D	3D	2D	1D	1D	2D	3D	4D	5D	L	
R	d5	d4	d3	d2	d1	d1	d2	d3	d4	d5	L	
R	d5	d4	d3	d2	d1	d1	d2	d3	d4	d5	L	
R	5m	4m	3m	2m	1m	1m	2m	3m	4m	5m	L	
R	5m	4m	3m	2m	1m	1m	2m	3m	4m	5m	L	

System 2: This system employs numerals 1 to 8 for enumerating the permanent teeth and A to E for enumerating the temporary teeth. It is exactly opposite to the above mentioned Zsigmondy's system. In this system, notation begins with number 1 for the third molar and with the letter A for the second temporary molar. It ends with 8 and E for the permanent and deciduous central incisors, respectively.

R	1	2	3	4	5	6	7	8	8	7	6	5	4	3	2	1	L
R	1	2	3	4	5	6	7	8	8	7	6	5	4	3	2	1	L
R	A	B	C	D	E	E	D	C	B	A	A	B	C	D	E	E	L
R	A	B	C	D	E	E	D	C	B	A	A	B	C	D	E	E	L

System 3: These systems do not make use of numerals, but designate the teeth (starting from the central